

A systemic nitrogen fixing microbial inoculant. Gluconacetobacter diazotrophicus (Gd) creates a symbiotic relationship within plants enabling crops to substitute nitrogen from the soil with atmospheric nitrogen.

GUARANTEED MINIMUM ANALYSIS

DIRECTIONS FOR USE: Apply within appropriate time frame (see specific directions below) and under good agricultural practices.

SUGGESTED APPLICATION RATES*:

IN-FURROW APPLICATION & TIMINGS	FOLIAR APPLICATION & TIMINGS
12.5 g/ha. Apply with a minimum of 25 L of water/ha.	12.5 g/ha. Apply with a minimum of 100L of water/ha.
Maize: at planting, BBCH 00 Potatoes: at planting, BBCH 00	Maize: BBCH 12-69 Potatoes: BBCH 12-69 Winter & spring cereals (excluding malting barley): BBCH 12-69 Winter & spring malting barley: BBCH 12-48 Winter & spring oilseed rape & sunflowers: BBCH 12-69 Sugar beet & fodder beet: BBCH 12-45 Pulses (including soybean): BBCH 12-69 Vegetables: BBCH 12-49 Strawberries, cane fruit, fruiting bushes & tomatoes: BBCH 12-89 Rice: BBCH 10-69 Grassland & other fodder crops (excluding fodder beet): When crop is actively growing Tree crops (including nut bearing trees): Early bloom-fruit set

*Application rates vary according to specific crop and soil needs, management objectives, and / or environmental conditions. Consult an Azotic Technical Representative for specific recommendations.

STORAGE AND HANDLING: Store in a cool dry place. DO NOT open product until ready for use.

PROTECTIVE EQUIPMENT: During product handling, application and spill clean-up, wear suitable protective clothing, protective gloves, safety glasses and in case of insufficient ventilation, wear suitable respiratory equipment.

PRECAUTIONS: May cause eye irritation. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product.

FIRST AID: If swallowed: Rinse mouth with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. In case of discomfort consult a doctor. If on skin or clothing: Wash with soap and water as a precaution. If redness or irritation occurs, call a physician. If inhaled: Remove subject from contaminated area and move to fresh air. If symptoms persist, call a physician. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if the victim wears them and if they can be easily removed. Continue rinsing. Consult an ophthalmologist if necessary.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Net Weight: 50 g

Date of Manufacture:

Expiration Date:

azotic

Manufactured by: Azotic Technologies Ltd. Unit 6 Hassacarr Close, Chessingham Park, Dunnington, York, UK YO19 5SN